

Exploring the Link Between HPV & Cervical Cancer

Online Training

PRE-TEST

Name: _____
(please print first and last names)

License #: _____ Date: _____

Please complete this test before completing the audio-presentation. Circle your answers to the questions below, T=True, F=False.

- T F 1. Cervical cancer is responsible for over 3,000 deaths in the U.S. annually.
- T F 2. Persistent infection with high-risk types is associated with the development of pre-cancerous and cancerous cervical changes.
- T F 3. Pap screening guidelines recommend annual screening beginning 3 years after the onset of vaginal intercourse or the age of 21.
- T F 4. HPV DNA testing is not useful in adjunct screening in women 30 years of age and older.
- T F 5. Research shows that there is no therapeutic value in administering the HPV vaccine to a woman already infected with a high risk HPV type.
- T F 6. ACIP recommends routine HPV vaccination of females ages 11-12.

Please return to:

California Family Health Council, Inc.
492 Division Street, Campbell, CA 95008
PHONE: (408) 374-3720 FAX: (408) 374-7385

Exploring the Link Between HPV & Cervical Cancer

Online Training

POST-TEST

Name: _____
(please print first and last names)

License #: _____ Date: _____

Please complete this test after completing the audio-presentation. Circle your answers to the questions below, T=True, F=False.

- | | | |
|---|---|--|
| T | F | 1. Cervical cancer is responsible for over 3,000 deaths in the U.S. annually. |
| T | F | 2. Persistent infection with high-risk types is associated with the development of pre-cancerous and cancerous cervical changes. |
| T | F | 3. Pap screening guidelines recommend annual screening beginning 3 years after the onset of vaginal intercourse or the age of 21. |
| T | F | 4. HPV DNA testing is not useful in adjunct screening in women 30 years of age and older. |
| T | F | 5. Research shows that there is no therapeutic value in administering the HPV vaccine to a woman already infected with a high risk HPV type. |
| T | F | 6. ACIP recommends routine HPV vaccination of females ages 11-12. |

Please return to:

California Family Health Council, Inc.
492 Division Street, Campbell, CA 95008
PHONE: (408) 374-3720 FAX: (408) 374-7385

Exploring the Link Between HPV & Cervical Cancer Online Training Evaluation

Name: _____ <small style="display: block; text-align: center;">(please print first and last names)</small>
License #: _____ Date: _____

Please identify new information you acquired that you will integrate into your practice.

Please circle a number that appropriately measures your response:	DISAGREE			AGREE	
1. The identified objectives were met.	1	2	3	4	5
2. The content was relevant to my work.	1	2	3	4	5
3. The information was presented in an organized and clear manner.	1	2	3	4	5
4. This learning format was easy to use.	1	2	3	4	5
5. The registration process was easy to use.	1	2	3	4	5
6. There was no evidence of commercial bias in this presentation.	1	2	3	4	5
7. I would utilize other online training from CFHC if made available.	1	2	3	4	5

Do you provide direct services? If so, in what setting(s)? _____

How did you hear about this online learning event?

- | | |
|---|--|
| <input type="checkbox"/> A professional colleague
<input type="checkbox"/> CFHC Website
<input type="checkbox"/> Listserv or email announcement | <input type="checkbox"/> I & E eNews <i>(email newsletter)</i>
<input type="checkbox"/> Other _____ |
|---|--|

Additional comments or suggestions for future online training: _____

Please return to: CFHC, 492 Division Street, Campbell, CA 95008, FAX: (408) 374-7385

We appreciate your feedback!